Section 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ASTM E407-13 10% Oxalic Etchant

Part Number: ASTM13-(all sizes)

Manufacturer: Sturbridge Metallurgical Services Inc.

City, State, Zip Sturbridge MA 01566

Phone Number 508-347-5288

Emergency Phone: CHEMTREC 1-800-424-9300

Section 2: Hazard(s) Identification

Hazardous classification of the substance or mixture:

Hazard Class	Category code	
Skin Corrosion	1C	
Serious Eye Damage	1	
Acute Toxicity (oral)	4	
Acute Toxicity (dermal)	4	

Signal word: Danger

Pictogram:





Hazard statement(s):

H314 Cause severe skin burn and eye damage.
H302+H312 Harmful is swallowed or in contact with skin.

Precautionary statement(s):

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Response statement(s):

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P301+P330+P331 IF SWALLOWED: rinse mouth. DO NOT induce vomiting.

Storage statement(s):

P405 Store locked up.

Disposal statement(s):

P501 Dispose of contents/container to an approved waste disposal plant.

Hazard(s) not otherwise classified: No information.

Label elements: See tables above

HMIS Ratings:NFPA Ratings:Health: 3Health: 3Flammability: 0Flammability: 0Reactivity: 1Reactivity: 1

Special hazard: None

Section 3: Composition/Information on Ingredients

Component	CAS No.	Concentration
Oxalic acid, dihydrate	6153-56-6	Approx. 10%
Water	7732-18-15	Balance

Section 4: First-Aid Measures

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical aid immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid immediately.

Skin contact: Wash the areas of contact with water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately.

Ingestion: Do not induce vomiting. Rinse mouth. Get medical aid immediately.

Most important symptoms and effects, both acute and delayed: No information.

Recommendation for immediate medical care and special treatment needed, when necessary: No information.

Section 5: Fire-Fighting Measures

Extinguishing media: Product is not flammable. Use firefighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture: In case of fire, the following can be released: carbon monoxide and carbon dioxide.

Special protective equipment or precautions for firefighters:

Wear full protective clothing and self-contained respirator.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

Environmental precautions: Do not allow the material to be released to the environment without proper government permits. **Methods and materials for containment and cleaning up:** Use neutralizing agent. Absorb with liquid binding material (sand, diatomite, acid binder, universal binders, saw dust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Section 7: Handling and Storage

Precautions for safe handling: Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.

Condition for safe storage: Keep container tightly sealed. Store in in an approved corrosive liquid storage container/area. **Incompatibilities:** Strong bases and oxidizing agents.

Specific storage requirement(s): No information.

Section 8: Exposure Controls/Personal Protection Exposure Limits

Component	CAS No.	ACGIH TLV	OSHA PEL
Oxalic acid,	144-62-7	2 mg/m3	2 mg/m3
anhydrous		(short term)	(short term)
		1 mg/m3	1 mg/m3
		(long term)	(long term)

Engineering controls: Use general and/or local exhaust ventilation to control the vapor concentration.

Eye protection: Wear safety glasses or goggles.

Skin protection: Wear protective clothing and chemical resistant gloves.

Respiratory protection: Use self-contained respiratory device in emergency situation.

Section 9: Physical and Chemical Properties

Colorless liquid Appearance: UFL/LEL: Not determined LFL/LEL: Not determined Odor:

Odorless

Vapor pressure: 17 mm Hg at 20°C Odor threshold: Not determined Vapor density: Not determined pH: Not determined Not determined Relative density: Melting Point/Freezing point: Not determined Solubility in water: Fully miscible Boiling point/boiling range: Not determined Flash point: Not determined **Evaporation Rate:** Not determined Flammability (solid, gas): Not applicable

Partition coefficient (n-octanol/water): Not determined **Auto-ignition temperature:** Product is not self-igniting.

Decomposition temperature: Not determined Viscosity: Not determined

Section 10: Stability and Reactivity

Chemical stability: Stable under recommended storage conditions.

Stabilizer(s): Not required

Safety issues that may arise should the product change in appearance: No information.

Thermal decomposition/ conditions to Avoid: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions: see incompatibilities.

Incompatibilities: Bases, oxidizing agents.

Hazardous decomposition products: Carbon monoxide, carbon dioxide.

Section 11: Toxicological Information

Acute Toxicity:

No information on LD/LC50 values.

Other exposure effect:

Oral: Swallow will lead to strong corrosive

effect. Harmful if swallowed. Inhalation: No Information.

On the Skin: Harmful in contact with skin.

Danger through skin absorption.

SAFETY DATA SHEET ASTM13 10% Oxalic Etchant Rev Date: OCT 2023

> On the Eye: Cause eye damage. Sensitization: No information.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. No classification data on carcinogenic properties of this material is available from NTP, IARC or OSHA.

Section 12: Ecological Information

Toxicity:

Aquatic toxicity: No information.

Persistence and degradability: No information.

Behavior in environmental system:

Bioaccumulative potential: No information.

Mobility in soil: No information.

Additional ecological information: Avoid transfer into the environment.

Other adverse effects: No information.

Section 13: Disposal Considerations

Place in a chemical waste container for proper disposal in an approved waste disposal facility. Dispose of the content and container in accordance with local, regional, national, international regulations.

Section 14: Transport Information

D.O.T. shipping name: Corrosive liquid, acidic, organic, n.o.s. (oxalic acid)

D.O.T. hazard class: 8 UN number: UN3265 Packing group: III

Section 15: Regulatory Information

Not meant to be all inclusive, selected regulation represented

OSHA status: These items meet the OSHA Hazard Communication Standard (29 CFR 1910.1200) definition of a hazardous material.

TSCA status: No information

Section 16: Other Information

Disclaimer: The information above is believed to be accurate and represents the best information currently available to us. SMS, Inc. makes no warranty, express or implied, as to its accuracy, and we assumes no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. We shall not be liable for any damages to person or property resulting from its use.